



UTILITY ENTERPRISES, INC.
700 MAIN STREET, WESTBURY, NY 11590
(516) 997-6300 - FAX # (516) 997-6345

MATERIAL SAFETY DATA SHEET

BEST SCALE AWAY

FOR CHEMICAL EMERGENCY: Spill, Leak, Fire, Exposure, or Accident - Call **INFOTRAC** - Day or Night: **1-800-535-5053**
THIS MSDS COMPLIES WITH 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD) **IMPORTANT:** Read this MSDS before handling & disposing of this product. Pass this information on to employees, customers and users of this product.

PRODUCT IDENTIFICATION

DOT Shipping name: CONSUMER COMMODITY, ORM-D **CAS NO.:** MIXTURE
Chemical Family: Natural Origin - Terpinenes **UN/NA #:** N/A
DOT Hazard Class: CONSUMER COMMODITY, ORM-D **DATE OF ISSUE:** 4/15

SECTION I - HAZARDOUS INGREDIENTS/EXPOSURE LIMITS

Hazardous Ingredients:	CAS #	TLV/PEL	AGENCY	TYPE	SARA-313(% Range)
Dipropylene Glycol Monomethyl Ether	34590-94-8	NE	ACGIH	AIR	1-20
Non-ionic Surfactants	Mixture	NE	ACGIH	AIR	1-8
Surfactants	Mixture	NE	ACGIH	AIR	1

SECTION II - EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Move person away from exposure. Flush eyes with clean water for at least 15 minutes. **Seek medical attention.**

SKIN CONTACT: Remove contaminated shoes and clothing and cleanse affected areas thoroughly with large amount of water. If irritation persists **seek medical attention.**

INHALATION: (breathing) Move person away from exposure to fresh air. Give artificial respiration if not breathing. Give oxygen if breathing is difficult. **Seek medical attention.**

INGESTION: (swallowing) If swallowed, do not induce vomiting. Do **not** give anything by mouth to an unconscious person. **Seek immediate emergency medical assistance.**

SECTION III - HEALTH HAZARDS / ROUTES OF ENTRY

EYE CONTACT: Vapors may cause irritation with redness and pain. May cause eye damage.

SKIN CONTACT: Continuous contact with this material may cause drying of skin. Chemical itself is an irritant or sensitizer.

INHALATION: (breathing) Vapors can cause irritation to the respiratory tract. Inhalation of high concentrations may cause unconsciousness and central nervous system depression.

INGESTION: (swallowing) Ingestion may cause the following: Irritation of digestive tract, vomiting, signs of nervous system depression, such as headache, drowsiness, dizziness, loss of coordination, and nausea.

SECTION IV - SPECIAL PROTECTION INFORMATION

VENTILATION: Local exhaust should be adequate. Mechanical ventilation recommended if necessary.

RESPIRATORY PROTECTION: The use of respiratory protection is not normally required.

PROTECTIVE GLOVES: The use of gloves impermeable to the specific material handled is advised to prevent possible irritation.

EYE PROTECTION: Approved eye protection to safeguard against potential eye contact, irritation or injury is recommended.

SECTION V - REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY: (materials to avoid) This product is incompatible with: *Oxidizing agents, strong acids and bases*

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition in the presence of air may yield CO, CO₂ and smoke.

HAZARDOUS POLYMERIZATION: Will not occur

SECTION VI - SPILL OR LEAK PROCEDURES

PRECAUTIONS IN CASE OF LEAK OR SPILL Area should be ventilated. Spilled material may be absorbed by an appropriate absorbent.

WASTE DISPOSAL METHOD: Dispose of product in accordance with local, county, state, and federal regulations. Do not flush to sewer.

SECTION VII - STORAGE AND SPECIAL PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry area.



UTILITY ENTERPRISES, INC.
 700 MAIN STREET, WESTBURY, NY 11590
 (516) 997-6300 - FAX # (516) 997-6345

MATERIAL SAFETY DATA SHEET

BEST SCALE AWAY

SECTION VIII - FIRE AND EXPLOSION HAZARD DATA

EXTINGUISHING MEDIA: Extinguish with dry chemical, CO₂, or a universal type foam.
FIRE AND EXPLOSION HAZARD: Product will not burn.
FIRE FIGHTING PROCEDURES: Remove containers from fire area if possible. Use self-contained breathing apparatus for fire fighting.

SECTION IX - PHYSICAL DATA

APPROXIMATE BOILING POINT (DEG F):	212	PER CENT VOLATILE:	0
SPECIFIC GRAVITY (68 F):	1.0	FLASH POINT (TCC, DEG F):	NA
RELATIVE EVAPORATION RATE (ESTIMATED):	<1	PER CENT SOLUBILITY IN WATER:	COMPLETE

SECTION X - OTHER REGULATORY DATA

<u>SARA</u>		<u>HMIS</u>	
<i>SECTION</i> 302:	NONE	Health:	1
<i>SECTION</i> 311 & 312:	NONE	Flammability:	0
<i>SECTION</i> 313:	NONE see section 2 for percentages	Reactivity:	0

TSCA
 All components are in full compliance with the TSCA inventory.

CALIFORNIA PROPOSITION 65
 NOT LISTED

RCRA
 NOT REGULATED

CERCLA
 NOT LISTED

CARCINOGENICITY:
 NOT LISTED with NTP or IARC.

NOTICE

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufactures and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.